

## Evidentiary Foundations of Nurse-Family Partnership

Nurse-Family Partnership (NFP) is a program of prenatal and infancy home visiting for low-income, first-time mothers and their children. Nurses begin visiting families as early as possible during pregnancy and continue visiting until the child's second birthday.

NFP Nurse Home Visitors have three major goals:

- Improve pregnancy outcomes by helping women engage in good preventive health practices, including obtaining thorough prenatal care from their healthcare providers, improving their diet, and reducing their use of cigarettes, alcohol and illegal substances;
- Improve child health and development by helping parents provide responsible and competent care for their children; and
- Improve the economic self-sufficiency of the family by helping parents develop a vision for their own future, plan future pregnancies, continue their education and find work.

Leadership of Nurse-Family Partnership chose to offer the program for public investment only after they had:

- replicated evidence of program impact from at least two randomized controlled trials;
- evidence that the program improved outcomes of public health importance;
- evidence of enduring program impact;
- evidence of cost-savings;
- confidence that the essential elements of the program could be reliably reproduced; and
- a web-based information system that could help ensure quality program implementation, accountability, and continuous program improvement.<sup>2</sup>

These kinds of evidentiary and replication standards are advocated by the Coalition for Evidence-Based Policy,<sup>3</sup> Blueprints for Violence Prevention,<sup>4</sup> and the Society for Prevention Research.<sup>5</sup> They also are consistent with those required by the Food and Drug Administration before pharmaceutical companies are allowed to market new drugs.<sup>6</sup> They are founded on the conviction that scarce public dollars ought to be invested in programs that work and that have the infrastructure to ensure high quality implementation and on-going monitoring of performance.

Nurse-Family Partnership has consistent evidence, based upon replicated randomized controlled trials with different populations living in different contexts, that it:

- improves prenatal health<sup>7-9</sup>
- reduces childhood injuries<sup>7,10,11</sup>
- reduces the rates of subsequent pregnancies and births<sup>7,9,12-14</sup>
- increases the intervals between first and second pregnancies and births<sup>7,9,12-14</sup>
- increases maternal employment<sup>7,9,14</sup>
- reduces women's use of welfare<sup>12-14,25</sup>
- reduces children's mental health problems<sup>15,16,24</sup>
- increases children's school readiness and academic achievement<sup>9,16,17</sup>
- reduces costs to government and society<sup>18,19,25</sup>
- is most effective for those most susceptible to the problems examined<sup>1</sup>

Relative to Nurse-Family Partnership's program goals, the following outcomes have been observed among program participants compared to their counterparts assigned to the control group in at least one randomized trial:

### **Improved pregnancy outcomes**

- 35% fewer cases of pregnancy-induced hypertension <sup>7</sup>
- 79% reduction in preterm delivery among women who smoke cigarettes <sup>8</sup>
- 31% reduction in very closely spaced (<6 months) subsequent pregnancies <sup>12</sup>

### **Improved child health and development**

- 39% fewer healthcare encounters for injuries or ingestions in the first two years of life among children born to mothers with low psychological resources <sup>22</sup>
- 56% reduction in emergency room visits for accidents and poisonings in the second year of the child's life <sup>11</sup>
- 48% reduction in state-verified reports of child abuse and neglect by child age 15 <sup>20</sup>
- 50% reduction in language delays by child age 21 months <sup>9</sup>
- 5 point increase in language scores on a test with a mean of 100 and standard deviation of 15 among 4-year-old children born to mothers with low psychological resources <sup>17</sup>
- 67% reduction in behavioral and emotional problems at child age 6 <sup>16</sup>
- 9 percentile increase in math and reading achievement test scores in grades 1-3 among children born to mothers with low psychological resources <sup>23</sup>
- 67% reduction in 12-year-old children's use of cigarettes, alcohol, or marijuana <sup>24</sup>
- 28% reduction in 12-year olds' mental health problems (depression and anxiety) <sup>24</sup>
- 3 point increase in 12-year-old children's reading and math achievement test scores on a test with a mean of 100 and standard deviation of 15 among those born to mothers with low psychological resources <sup>24</sup>
- 6 percentile increase in group-based reading and math achievement test scores in grades 1-6 among children born to mothers with low psychological resources <sup>24</sup>
- 59% reduction in arrests by child age 15 <sup>21</sup>
- 90% reduction in adjudication as PINS (person in need of supervision) for incorrigible behavior <sup>21</sup>
- 33% fewer arrests among female children at age 19 <sup>26</sup>
- 80% fewer convictions among female children at age 19 <sup>26</sup>
- 73% increase in age at 1st arrest among female children at age 19 <sup>26</sup>
- 82% fewer current arrests among female children at age 19 <sup>26</sup>
- 89% fewer current convictions among female children at age 19 <sup>26</sup>

### **Increased self-sufficiency of the family**

- 1 month increase in labor force participation during second year of child's life <sup>9</sup>
- 46% increase in father presence in household by child age 4 <sup>12</sup>
- 30-month reduction in use of AFDC-TANF among mothers who were poor and unmarried at registration <sup>13</sup>
- 7 month (or 82%) increase in labor force participation 4 years after delivery of first child among low-income unmarried mothers <sup>14</sup>
- 1.75 month reduction in use of AFDC-TANF between child age 5 and age 6 <sup>16</sup>
- 1.83 month reduction in use of Food Stamps between child age 5 and 6 <sup>16</sup>

- 61% fewer arrests of mothers by child age 15 <sup>20</sup>
- 72% fewer convictions of mothers by child age 15 <sup>20</sup>
- \$12,300 discounted savings (2006 dollars) in Food Stamps, Medicaid, and AFDC-TANF from child age 0-12 compared to program cost of \$11,511 (2006 dollars) <sup>25</sup>
- 13% increase in duration of mothers' relationships with current partners by child age 12 <sup>25</sup>

The Nurse-Family Partnership National Service Office is responsible for helping agencies implement the program in their community. Learn more at: [www.nursefamilypartnership.org](http://www.nursefamilypartnership.org).

## Reference List

1. Olds DL. Prenatal and infancy home visiting by nurses: from randomized trials to community replication. **Prevention Science** 2002 Sep;3(3):153-72.
2. Olds DL, Hill PL, O'Brien R, Racine D, Moritz P. Taking preventive intervention to scale: the Nurse-Family Partnership. **Cognitive and Behavioral Practice** 2003;10(4):278-90.
3. Coalition for Evidence-Based Policy [homepage on the Internet]. **Council for Excellence in Government**; [cited 2007 Feb 1]. Available from: <http://coexgov.securesites.net/index.php?keyword=a432fbc34d71c7>.
4. Blueprints for Violence Prevention model program selection criteria [homepage on the Internet]. **Center for the Study and Prevention of Violence**; c2004 [cited 2007 Feb 1]. Available from: <http://www.colorado.edu/cspv/blueprints/model/criteria.html>.
5. Flay BR, Biglan A, Boruch RF, Castro FG, Gottfredson D, Kellam S, Moscicki EK, Schinke S, Valentine JC, Ji P. Standards of evidence: criteria for efficacy, effectiveness and dissemination. **Prevention Science** 2005 Sep;6(3):151-75.
6. Katz R. FDA: evidentiary standards for drug development and approval. **NeuroRx: The Journal of the American Society for Experimental NeuroTherapeutics** 2004 Jul;1(3):307-16.
7. Kitzman H, Olds DL, Henderson CR Jr, Hanks C, Cole R, Tatelbaum R, McConnochie KM, Sidora K, Luckey DW, Shaver D, et al. Effect of prenatal and infancy home visitation by nurses on pregnancy outcomes, childhood injuries, and repeated childbearing. A randomized controlled trial. **Journal of the American Medical Association** 1997 Aug 27;278(8):644-52.
8. Olds DL, Henderson CRJ, Tatelbaum R, Chamberlin R. Improving the delivery of prenatal care and outcomes of pregnancy: a randomized trial of nurse home visitation. **Pediatrics** 1986 Jan;77(1):16-28.
9. Olds DL, Robinson J, O'Brien R, Luckey DW, Pettitt LM, Henderson CR Jr, Ng RK, Sheff KL, Korfmacher J, Hiatt S, et al. Home visiting by paraprofessionals and by nurses: a randomized, controlled trial. **Pediatrics** 2002 Sep;110(3):486-96.
10. Olds DL, Henderson CR Jr, Kitzman H. Does prenatal and infancy nurse home visitation have enduring effects on qualities of parental caregiving and child health at 25 to 50 months of life? **Pediatrics** 1994 Jan;93(1):89-98.
11. Olds DL, Henderson CR Jr, Chamberlin R, Tatelbaum R. Preventing child abuse and neglect: a randomized trial of nurse home visitation. **Pediatrics** 1986 Jul;78(1):65-78.
12. Kitzman H, Olds DL, Sidora K, Henderson CR Jr, Hanks C, Cole R, Luckey DW, Bondy J, Cole K, Glazner J. Enduring effects of nurse home visitation on maternal life course: a 3-year follow-up of a randomized trial. **Journal of the American Medical Association** 2000 Apr 19;283(15):1983-9.
13. Olds DL, Eckenrode J, Henderson CR Jr, Kitzman H, Powers J, Cole R, Sidora K, Morris P, Pettitt LM, Luckey D. Long-term effects of home visitation on maternal life course and child abuse and neglect. Fifteen-year follow-up of a randomized trial. **Journal of the American Medical Association** 1997 Aug 27;278(8):637-43.
14. Olds DL, Henderson CRJ, Tatelbaum R, Chamberlin R. Improving the life-course development of socially disadvantaged mothers: a randomized trial of nurse home visitation. **American Journal of Public Health** 1988 Nov;78(11):1436-45.
15. Olds D, Henderson CR Jr, Cole R, Eckenrode J, Kitzman H, Luckey D, Pettitt L, Sidora K, Morris P, Powers J. Long-term effects of nurse

home visitation on children's criminal and antisocial behavior: 15-year follow-up of a randomized controlled trial . **Journal of the American Medical Association** 1998 Oct 14;280(14):1238-44.

16. Olds DL, Kitzman H, Cole R, Robinson J, Sidora K, Luckey D, Henderson C, Hanks C, Bondy J, Holmberg J. Effects of nurse home visiting on maternal life-course and child development: age-six follow-up of a randomized trial. **Pediatrics** 2004;114:1550-9.
17. Olds DL, Robinson J, Pettitt L, Luckey DW, Holmberg J, Ng RK, Isacks K, Sheff K. Effects of home visits by paraprofessionals and by nurses: age-four follow-up of a randomized trial. **Pediatrics** 2004;114:1560-8.
18. Aos, S.; Lieb, R.; Mayfield, J.; Miller, M.; Pennucci, A. Benefits and costs of prevention and early intervention programs for youth. Olympia, WA: **Washington State Institute for Public Policy**; 2004.
19. Karoly, L. A.; Kilburn, M. R.; Cannon, J. S. Early childhood interventions: proven results, future promise. Santa Monica, CA: **RAND**; 2005.
20. Reanalysis Olds et al. **Journal of the American Medical Association** 1997 Aug 27;278(8):637-43.
21. Reanalysis of Olds et al. **Journal of the American Medical Association** 1998 Oct 14;280(14):1238-44.
22. Reanalysis of Kitzman et al. **Journal of the American Medical Association** 1997 Aug 27;278(8):644-52; See also Memphis Year 9 results, citation #23, finding that nurse-visited children as a trend were less likely to die from birth through age 9, an effect accounted for by deaths due to potentially preventable causes, such as preterm delivery, Sudden Infant Death Syndrome, and injuries.
23. Olds DL, Kitzman H, Hanks C, Cole RE, Anson EA, Sidora-Arcoleo KJ, Luckey DW, Henderson CRJ, Holmberg J, Tutt RA, et al. Effects of nurse home visiting on maternal and child functioning: age-nine follow-up of a randomized trial. **Pediatrics** 2007;120(4).
24. Kitzman HJ, Olds DL, Cole RE, Hanks CA, Anson EA, Arcoleo-Sidora KJ, Luckey DW, Knudtson MD, Henderson CR Jr., Holmberg JR. Enduring effects of prenatal and infancy home visiting by nurses on children: Follow-up of a randomized trial among children at age 12 years. **Archives of Pediatrics and Adolescent Medicine** May 2010, 164(5):412-418.
25. Olds DL, Kitzman HJ, Cole RE, Hanks CA, Arcoleo-Sidora KJ, Anson EA, Luckey DW, Knudtson MD, Henderson CR Jr., Bondy J, Stevenson AJ. Enduring effects of prenatal and infancy home visiting by nurses on maternal life course and government spending: Follow-up of a randomized trial among children at age 12 years. **Archives of Pediatrics and Adolescent Medicine** May 2010, 164(5):419-424.
26. Eckenrode J, Campa M, Luckey DW, Henderson CR Jr., Cole RE, Kitzman HJ, Anson EA, Arcoleo-Sidora KJ, Powers J, Olds DL. Long-term effects of prenatal and infancy nurse home visitation on the life course of youths 19-Year follow-up of a randomized trial. **Archives of Pediatrics and Adolescent Medicine** January 2010;164(1):9-15.